

In the Claims

Please amend the claims herein as follows:

1. (Currently Amended) An electrical closure apparatus for installing in a wall, the electrical apparatus comprising:

a front face defining a front area for abutting the wall;

a rear face disposed opposite the front face and having four corners, the rear face defining a rear area less than or equal to the front area and for installing, at least partially, within the wall; and

at least one impression member spaced from the rear face such that an outline is made, at least partially, of at least two of the four corners when the rear face is pressed against the wall such that an aperture can be cut in the wall before the electrical closure apparatus is installed therein.

2. (Original) The electrical closure apparatus of claim 1 wherein the impression member is a point.

3. (Original) The electrical closure apparatus of claim 1 wherein the impression member is a raised edge.

4. (Original) The electrical closure apparatus of claim 1 wherein the impression member is integrally formed on the front face.

5. (Original) The electrical closure apparatus of claim 4 wherein the impression member is spaced from the front face.

6. (Cancelled) The electrical closure apparatus of claim 4 wherein the impression member extends from and is integrally formed with the connector port.

7. (Previously Amended) The electrical closure apparatus of claim 1 wherein an outline is made, at least partially, of the four corners when the rear face is pressed against the wall.

8. (Currently Amended) An electrical closure apparatus for installing in a wall, the electrical apparatus comprising:

a recessed portion for installing within the wall and having at least two corners;

a front edge coupled to the recessed portion, the edge for abutting the wall when the electrical closure apparatus is installed; and

at least one impression member secured to the electrical closure apparatus such that a two-dimensional outline is made, at least partially, of the at least two corners of the

recessed portion when the impression member is pressed against the wall such that an aperture can be cut in the wall before the electrical closure apparatus is installed therein.

9. (Original) The electrical closure apparatus of claim 8 wherein the impression member is a point.

10. (Original) The electrical closure apparatus of claim 8 wherein the impression member is a raised edge.

11. (Original) The electrical closure apparatus of claim 8 wherein the impression member is a geometric shape.

12. (Original) The electrical closure apparatus of claim 8 wherein the recessed portion includes a wall attachment means coupled thereto.

13. (Original) The electrical closure apparatus of claim 12 wherein the recessed portion includes a wall attachment means coupled thereto.

14. (Original) The electrical closure apparatus of claim 8 wherein the impression member extends from and is integrally formed with the recessed portion..

15. (Original) The electrical closure apparatus of claim 8 wherein the impression member extends from and is integrally formed with the given edge.

16. (Currently Amended) An electrical closure apparatus for installing in a wall, the electrical closure apparatus comprising:

four bounding side walls;

a rear wall coupled to the four bounding side walls and having a front face and a rear face disposed opposite the front face;

a recessed portion formed by the four side walls and the rear wall for installing within the wall;

a front edge integrally formed with the four bounding side walls for abutting the wall when the electrical closure apparatus is installed therein; and

at least one impression member disposed on the electrical closure apparatus for making an outline, at least partially, of the recessed portion on the wall when pressed there against such that an aperture can be cut in the wall before the electrical closure apparatus is installed therein.

17. (Original) The electrical closure apparatus of claim 16 wherein the impression member is a geometric shape.

18. (Original) The electrical closure apparatus of claim 16 wherein the impression member is a raised edge.

19. (Original) The electrical closure apparatus of claim 16 wherein the impression member is formed on the recessed portion and raised therefrom.

20. (Original) The electrical closure apparatus of claim 16 wherein the impression member is formed on the front edge and raised therefrom.